



Structural Steels with Improved Atmospheric Corrosion Resistance

EN 10155	SEW 087	ASME	NF A35-502	BS 4360	UNI	Mater. No	Tensile Strength (Mpa)	W= Weather resistant G1 = Supply condition normalised or normalising rolled.
S2235JOW			E24W-3			1.8958	340-470	
S235J2W	WTSt37-3		E24W-4			1.8961		
S355JOW			E36W-B3	WR50B		1.8959	490-630	
S355J2G1W	WTSt52-3	A588Gr.A, GrB, Gr.C,	E36W-B4	WR50C		1.8965		
		Gr.K						
S355K2G1W						1.8967		